

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27	(US-6721271-\$ or US-6775724-\$ or US-5822540-\$ or US-5724574-\$ or US-5872920-\$ or US-5960395-\$ or US-5901139-\$ or US-6499065-\$ or US-6009104-\$ or US-6253255-\$ or US-6633929-\$ or US-6172972-\$ or US-6483870-\$ or US-6657983-\$ or US-6650624-\$ or US-6006323-\$ or US-5963745-\$ or US-6222822-\$ or US-6600721-\$ or US-5829043-\$ or US-6765873-\$ or US-6651117-\$ or US-6006318-\$ or US-6735662-\$ or US-6735647-\$ or US-6725311-\$). did. or (US-5796868-\$).did.	USPAT	OR	ON	2006/06/22 14:07
L2	46	709/220-248.ccls. and (stat\$4 with set\$4 with (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above less great\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 15:16
S1	826	packet near3 array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 11:29
S3	39	(packet near3 array) and "710"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 17:05
S4	58	(packet near3 array) and "711"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 15:12
S5	27	(packet near3 array) and "712"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 15:12
S6	1	packet adj array adj construct\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 15:23
S7	166	(packet near3 array) and stat\$4 and threshold	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 15:33
S8	42	(packet near3 array) and stat\$4 and (threshold same equal\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 15:39

EAST Search History

S9	57	"712"/\$.ccls. and (stat\$4 with set\$4 with (equal\$4 low\$4 below\$4 high\$4 above high\$4)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above high\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 16:29
S10	43	"711"/\$.ccls. and (stat\$4 with set\$4 with (equal\$4 low\$4 below\$4 high\$4 above high\$4)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above high\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 16:34
S11	39	(packet near3 array) and (stat\$4 same (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold same equal\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 16:39
S12	254	packet and (stat\$4 with set\$4 with (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above)) not (packet near3 array)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 20:58
S13	32	(packet near3 array) and (stat\$4 same (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold same equal\$4) and (threshold same (low\$4 below\$4 high\$4 above))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 16:40
S14	33	709/220-248.ccls. and (stat\$4 with set\$4 with (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above less great\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 18:42
S15	2	709/220-248.ccls. and (stat\$4 with set\$4 with (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above less great\$4)) and implicit	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 18:36
S16	17	709/220-248.ccls. and (stat\$4 with (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above less great\$4)) and (cop\$4 with packet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 18:44

EAST Search History

S17	7	709/220-248.ccls. and (stat\$4 with (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above less great\$4)) and ((cop\$4 with packet same (stat\$4 threshold)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 18:59
S18	16	(stat\$4 with (equal\$4 low\$4 below\$4 high\$4 above less great\$4)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above less great\$4)) and ((cop\$4 with packet with (memor\$4 buffer)) same (stat\$4 threshold))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 19:04
S19	84	((stat\$4 with set\$4 with threshold) same (equal\$4 low\$4 below\$4 high\$4 above less great\$4)) and (cop\$4 with (packet datagram frame))	USPAT	OR	ON	2004/10/31 20:56
S20	49	((stat\$4 with set\$4 with threshold) same (equal\$4 low\$4 below\$4 high\$4 above less great\$4)) and (cop\$4 with (packet datagram frame) same (stat\$4 threshold))	USPAT	OR	ON	2004/10/31 19:17
S21	38	((state status) with set\$4 with threshold) same (equal\$4 low\$4 below\$4 high\$4 above less great\$4)) and (cop\$4 with (packet datagram frame) same (stat\$4 threshold))	USPAT	OR	ON	2004/10/31 19:44
S22	654	greater with equal\$4 with stat\$4 with threshold	USPAT	OR	ON	2005/08/04 13:24
S23	140	greater with equal\$4 with stat\$4 with set\$4 with threshold	USPAT	OR	ON	2004/10/31 20:04
S24	4	greater with equal\$4 with stat\$4 with set\$4 with threshold with (packet resourc\$4)	USPAT	OR	ON	2004/10/31 20:04
S25	5	((stat\$4 with set\$4 with threshold) same (equal\$4 low\$4 below\$4 high\$4 above less great\$4)) and (cop\$4 with (packet datagram frame)) and truncat\$6	USPAT	OR	ON	2004/10/31 20:56
S26	105	(stat\$4 with set\$4 with (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above)) and truncat\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 20:59

EAST Search History

S27	1	(stat\$4 with set\$4 with (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above)) and (packet with truncat\$6 same stat\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/31 21:00
S37	84	(packet near3 array) and "709"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:57
S38	83	(packet near3 array) and "709"/\$. ccls. and (memor\$4 buffer resourc\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:58
S39	69	(packet near3 array) and "709"/\$. ccls. and ((memor\$4 buffer resourc\$4) same (amount stat\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:59
S42	1383	ndis	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 17:43
S43	149	ndis and (group\$4 same (packet frame datagram))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 17:44
S44	105	ndis and (group\$4 with (packet frame datagram))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 14:13
S45	42	ndis and (group\$4 with (packet frame datagram)) and array	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 17:46
S47	22	ndis and (group\$4 same (packet frame datagram) same array)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 17:44
S48	23	ndis and (group\$4 with (packet frame datagram)) and array not S47	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 17:52
S49	182	ndis and api	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 17:52

EAST Search History

S50	29	microsoft.as. and ndis and api	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 17:53
S51	23	microsoft.as. and ndis and api and packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 18:02
S52	2	ndis and (grouping with (packet frame datagram))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 20:58
S53	88	ndis and (queue\$4 with (packet frame datagram))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 20:58
S54	10	ndis and (queue\$4 with (pluralit\$4 multipl\$4) with (packet frame datagram))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 20:59
S55	17	(US-5724574-\$ or US-5796868-\$ or US-5822540-\$ or US-5872920-\$ or US-5901139-\$ or US-5960395-\$ or US-6006318-\$ or US-6172972-\$ or US-6253255-\$ or US-6483870-\$ or US-6499065-\$ or US-6633929-\$ or US-6721271-\$ or US-6735647-\$ or US-6735662-\$ or US-6765873-\$ or US-6775724-\$).did.	USPAT	OR	ON	2005/08/05 11:18
S56	10	S55 and ((memor\$4 buffer) with stat\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 11:23
S57	10	S55 and ((memor\$4 buffer) with stat\$4) and ((array stor\$6 sav\$4 buffing queue\$4) with (packet frame datagram))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 16:58
S58	17	(US-5724574-\$ or US-5796868-\$ or US-5822540-\$ or US-5872920-\$ or US-5901139-\$ or US-5960395-\$ or US-6006318-\$ or US-6172972-\$ or US-6253255-\$ or US-6483870-\$ or US-6499065-\$ or US-6633929-\$ or US-6721271-\$ or US-6735647-\$ or US-6735662-\$ or US-6765873-\$ or US-6775724-\$).did.	USPAT	OR	ON	2005/08/05 16:58
S59	17	S58 and set\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 21:01

EAST Search History

S60	2875	(send\$4 forward\$4 transmit\$6 transfer\$6) same (burst array) same (stack "data link" "tcp/ip" mac)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 16:37
S61	158	(burst near2 (size rate)) and (send\$4 forward\$4 transmit\$6 transfer\$6) same (burst array) same (stack "data link" "tcp/ip" mac)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 21:09
S62	31	(burst near2 (size rate)) and (send\$4 forward\$4 transmit\$6 transfer\$6) with (burst array) with (stack "data link" "tcp/ip" mac)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:08
S63	21	(burst near2 (size rate)) and (send\$4 forward\$4 transmit\$6 transfer\$6) with (burst array) with (stack "data link" "tcp/ip" mac) and (full filled)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 14:41
S64	268	(send\$4 forward\$4 transmit\$6 transfer\$6) same (burst array) same (stack "data link" "tcp/ip" mac) and (manag\$4 with (buffer memor\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 14:15
S65	104	(send\$4 forward\$4 transmit\$6 transfer\$6) with (burst array) same (ndis stack "data link" "tcp/ip" mac) and (manag\$4 with (buffer memor\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 16:40
S66	134	(send\$4 forward\$4 transmit\$6 transfer\$6) with (burst array) same (ndis stack "data link" "tcp/ip" layer) and (manag\$4 with (buffer memor\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 16:40
S68	28	((send\$4 forward\$4 transmit\$6 transfer\$6) with (burst array) same (ndis stack)) and (manag\$4 with (buffer memor\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 16:41
S72	26	(US-5724574-\$ or US-5796868-\$ or US-5822540-\$ or US-5872920-\$ or US-5901139-\$ or US-5960395-\$ or US-6006318-\$ or US-6172972-\$ or US-6253255-\$ or US-6483870-\$ or US-6499065-\$ or US-6600721-\$ or US-6633929-\$ or US-6650624-\$ or US-6657983-\$ or US-6721271-\$ or US-6735647-\$ or US-6735662-\$ or US-6765873-\$ or US-6775724-\$ or US-5829043-\$ or US-6725311-\$ or US-6006323-\$ or US-5963745-\$ or US-6651117-\$ or US-6009104-\$). did.	USPAT	OR	ON	2005/08/06 18:50

EAST Search History

S73	16	S72 and cop\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 18:50
S74	14	S72 and ((cop\$4 updat\$4) same (memor\$4 buffer queu\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 18:53
S75	10	S72 and (cop\$4 same (memor\$4 buffer queu\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 19:01
S76	15	S72 and threshold\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 19:01
S77	26	ndis and (group\$4 with (packet frame datagram)) and (low near5 (buffer memor\$4 resourc\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/06 19:16
S78	20	(send\$4 forward\$4 transmit\$6 transfer\$6) with (burst array) same (ndis stack "data link" "tcp/ip" layer) and (manag\$4 with (buffer memor\$4)) and (low near5 (buffer memor\$4 resourc\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 14:16
S79	39	709/220-248.ccls. and (stat\$4 with set\$4 with (equal\$4 low\$4 below\$4 high\$4 above)) and (threshold with equal\$4) and (threshold with (low\$4 below\$4 high\$4 above less great\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 14:13
S80	36	710/33-57.ccls. and (send\$4 forward\$4 transmit\$6 transfer\$6) same (burst array) same (stack "data link" "tcp/ip" mac) and (manag\$4 with (buffer memor\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 14:15
S81	0	710/33-57.ccls. and ndis and (group\$4 with (packet frame datagram))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 14:15
S82	0	710/33-57.ccls. and (send\$4 forward\$4 transmit\$6 transfer\$6) with (burst array) same (ndis stack "data link" "tcp/ip" layer) and (manag\$4 with (buffer memor\$4)) and (low near5 (buffer memor\$4 resourc\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/07 14:16

EAST Search History

S83	27	(US-5796868-\$ or US-6651117-\$ or US-6735647-\$ or US-6735662-\$ or US-5822540-\$ or US-6775724-\$ or US-6725311-\$ or US-5724574-\$ or US-6721271-\$ or US-6009104-\$ or US-6499065-\$ or US-6253255-\$ or US-6633929-\$ or US-6172972-\$ or US-6483870-\$ or US-6657983-\$ or US-6650624-\$ or US-6600721-\$ or US-5829043-\$ or US-6006323-\$ or US-5963745-\$ or US-6222822-\$ or US-6006318-\$ or US-5872920-\$ or US-5960395-\$ or US-6765873-\$). did. or (US-5901139-\$).did.	USPAT	OR	ON	2006/06/15 15:34
S88	13	S83 and ((stat\$4 resourc\$4) with (threshold\$4 low\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:42
S89	13	packet near3 array near3 (assemb\$4 construct\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 11:32
S90	9	packet near3 array near3 (assemb\$4 construct\$6)	US-PGPUB	OR	ON	2006/06/19 11:32
S91	27	(US-5796868-\$ or US-6651117-\$ or US-6735647-\$ or US-6735662-\$ or US-5822540-\$ or US-6775724-\$ or US-6725311-\$ or US-5724574-\$ or US-6721271-\$ or US-6009104-\$ or US-6499065-\$ or US-6253255-\$ or US-6633929-\$ or US-6172972-\$ or US-6483870-\$ or US-6657983-\$ or US-6650624-\$ or US-6600721-\$ or US-5829043-\$ or US-6006323-\$ or US-5963745-\$ or US-6222822-\$ or US-6006318-\$ or US-5872920-\$ or US-5960395-\$ or US-6765873-\$). did. or (US-5901139-\$).did.	USPAT	OR	ON	2006/06/19 14:42
S92	21	S91 and ((stat\$4 resourc\$4 buffer memor\$4 bandwidth) with (limit\$4 threshold\$4 low\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/19 14:48
S93	9	S91 and ((stat\$4 resourc\$4 buffer memor\$4 bandwidth) with (limit\$4 threshold\$4 low\$4) same (protocol stack module program))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 11:58
S94	299	ndis and (protocol near2 (stack process\$4 module program))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 16:35

EAST Search History

S95	31	microsoft.as. and ndis and (protocol near2 (stack process\$4 module program))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 16:35
S96	36	ndis and (protocol near2 (stack process\$4 module program)) and (resourc\$4 with (low\$4 threshold\$4 declin\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 17:04
S97	2	"5533018".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 17:07
S98	6	(reciev\$4 near4 (packet datagram frame) with (resourc\$4 buffer memor\$4)) and ((resourc\$4 buffer memor\$4) with (limit\$4 threshold\$4 low\$4 fill\$4) same (process protocol stack module program))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 12:01
S99	6	(reciev\$4 near4 (packet datagram frame) with (resourc\$4 buffer memor\$4)) and ((resourc\$4 buffer memor\$4) with (limit\$4 threshold\$4 low\$4 fill\$4 full\$4) same (process protocol stack module program))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 12:03
S10 0	5	(process\$4 near2 (packet datagram frame)) and (reciev\$4 near4 (packet datagram frame) with (resourc\$4 buffer memor\$4)) and ((resourc\$4 buffer memor\$4) with (limit\$4 threshold\$4 low\$4 fill\$4 full\$4) same (process protocol stack module program))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 12:06
S10 1	4986	(process\$4 near2 (packet datagram frame)) and ((hold\$4 sav\$4 stor\$6 reciev\$4) with (packet datagram frame) with (resourc\$4 buffer memor\$4)) and ((resourc\$4 buffer memor\$4) with (limit\$4 threshold\$4 low\$4 fill\$4 full\$4)) and ((send\$4 forward\$4 transmi\$6 transfer\$6) with (packet datagram frame) with (process\$4 protocol stack module program))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 12:13

EAST Search History

S10 2	224	"712"/\$.ccls. and (process\$4 near2 (packet datagram frame)) and ((hold\$4 sav\$4 stor\$6 reciev\$4) with (packet datagram frame) with (resourc\$4 buffer memor\$4)) and ((resourc\$4 buffer memor\$4) with (limit\$4 threshold\$4 low\$4 fill\$4 full\$4)) and ((send\$4 forward\$4 transmi\$6 transfer\$6) with (packet datagram frame) with (process\$4 protocol stack module program))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 12:14
S10 3	1003	(process\$4 near2 (packet datagram frame)) and ((hold\$4 sav\$4 stor\$6 reciev\$4) with (packet datagram frame) with (resourc\$4 buffer memor\$4)) and ((resourc\$4 buffer memor\$4) with (limit\$4 threshold\$4 low\$4 fill\$4 full\$4) same (send\$4 forward\$4 transmi\$6 transfer\$6) with (packet datagram frame) with (process\$4 protocol stack module program))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:25
S10 4	41	"712"/\$.ccls. and S103	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 12:15
S10 5	179	"709"/\$.ccls. and S103	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 12:15
S10 6	163	(process\$4 near2 (packet datagram frame)) and ((hold\$4 sav\$4 stor\$6 reciev\$4) with (packet datagram frame) with (resourc\$4 buffer memor\$4)) and ((resourc\$4 buffer memor\$4) with (limit\$4 threshold\$4 low\$4 fill\$4 full\$4) same (send\$4 forward\$4 transmi\$6 transfer\$6) with (packet datagram frame) with (protocol stack))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:16
S10 8	163	(process\$4 near2 (packet datagram frame)) and ((hold\$4 sav\$4 stor\$6 reciev\$4) with (packet datagram frame) with (resourc\$4 buffer memor\$4)) and ((resourc\$4 buffer memor\$4) with (limit\$4 threshold\$4 low\$4 fill\$4 full\$4) same (send\$4 forward\$4 transmi\$6 transfer\$6) with (packet datagram frame) with (protocol stack))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 17:32

EAST Search History

S109	22	S108 and (stor\$4 adj forward\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 17:15
S110	16	(array near2 (packet datagram frame)) and (process\$4 near2 (packet datagram frame)) and ((hold\$4 sav\$4 stor\$6 reciev\$4) with (packet datagram frame) with (resourc\$4 buffer memor\$4)) and ((resourc\$4 buffer memor\$4) with (limit\$4 threshold\$4 low\$4 fill\$4 full\$4) same (send\$4 forward\$4 transmi\$6 transfer\$6) with (packet datagram frame) with (protocol stack))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 17:33
S111	145	(burst near2 (size rate)) and ((send\$4 forward\$4 transmit\$6 transfer\$6) with (burst array) with (stack protocol))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:16
S112	24	(burst near2 (threshold size rate)) and ((hold\$4 sav\$4 stor\$6 reciev\$4) with (packet datagram frame) with (resourc\$4 buffer memor\$4)) and ((resourc\$4 buffer memor\$4) with (limit\$4 threshold\$4 low\$4 fill\$4 full\$4) same (send\$4 forward\$4 transmi\$6 transfer\$6) with (packet datagram frame) with (protocol stack))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:40
S113	2	"6587431".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:40
S114	971	(process\$4 near2 (packet datagram frame)) and ((hold\$4 sav\$4 stor\$6 reciev\$4) with (packet datagram frame) with (buffer memor\$4)) and ((buffer memor\$4) with (limit\$4 threshold\$4 low\$4 fill\$4 full\$4) same (send\$4 forward\$4 transmi\$6 transfer\$6) with (packet datagram frame) with (process\$4 protocol stack module program))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:26

EAST Search History

S11 5	886	(process\$4 near2 (packet datagram frame)) and ((hold\$4 sav\$4 stor\$6 reciev\$4) with (packet datagram frame) with (buffer memor\$4)) and ((buffer memor\$4) with (limit\$4 threshold\$4 low\$4 fill\$4 full\$4) same (send\$4 forward\$4 transmi\$6 transfer\$6) with (packet datagram frame) with (process\$4 protocol stack))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:27
S11 6	136	(process\$4 near2 (packet datagram frame)) and ((hold\$4 sav\$4 stor\$6 reciev\$4) with (packet datagram frame) with (buffer memor\$4)) and ((buffer memor\$4) with threshold\$4 same (send\$4 forward\$4 transmi\$6 transfer\$6) with (packet datagram frame) with (process\$4 protocol stack))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 11:12

EAST Search History

S11 7	136	(US-7020736-\$ or US-7012926-\$ or US-7003597-\$ or US-6975593-\$ or US-6963999-\$ or US-6963536-\$ or US-6954433-\$ or US-6944129-\$ or US-6940809-\$ or US-6907042-\$ or US-6898647-\$ or US-6888893-\$ or US-6888848-\$ or US-6865152-\$ or US-6859760-\$ or US-6859437-\$ or US-6847646-\$ or US-6779037-\$ or US-6765916-\$ or US-6765873-\$ or US-6751586-\$ or US-6751194-\$ or US-6749512-\$ or US-6741581-\$ or US-6735629-\$ or US-6728213-\$). did. or (US-6721280-\$ or US-6697870-\$ or US-6690668-\$ or US-6658016-\$ or US-6650320-\$ or US-6621818-\$ or US-6603759-\$ or US-6598189-\$ or US-6581170-\$ or US-6578083-\$ or US-6570876-\$ or US-6567770-\$ or US-6563833-\$ or US-6553381-\$ or US-6529518-\$ or US-6510166-\$ or US-6493842-\$ or US-6466591-\$ or US-6463060-\$ or US-6456233-\$ or US-6389562-\$ or US-6389489-\$ or US-6385209-\$ or US-6381649-\$ or US-6370487-\$ or US-6332042-\$ or US-6311297-\$). did. or (US-6298085-\$ or US-6286061-\$ or US-6282684-\$ or US-6263468-\$ or US-6263108-\$ or US-6259694-\$ or US-6212663-\$ or US-6188699-\$ or US-6188670-\$ or US-6170074-\$ or US-6167029-\$ or US-6163868-\$ or US-6122681-\$ or US-6118834-\$ or US-6098103-\$ or US-6092108-\$ or US-6067608-\$ or US-6067408-\$ or US-6021132-\$ or US-5996018-\$ or US-5978513-\$ or US-5968153-\$ or US-5944804-\$ or US-5926457-\$ or US-5884050-\$ or US-5805173-\$ or US-5742600-\$). did. or (US-5734654-\$ or US-5732286-\$ or US-5717818-\$ or US-5712928-\$ or US-5699361-\$ or US-RE35414-\$ or US-5570373-\$ or US-5570367-\$ or US-5550829-\$ or US-5541912-\$ or US-5539527-\$ or US-5519690-\$ or US-5488724-\$ or US-5473604-\$ or US-5426773-\$ or US-5404353-\$ or US-5402416-\$ or US-5400326-\$ or US-5319752-\$ or US-5307459-\$ or US-5305308-\$ or US-5293486-\$ or US-5282151-\$ or US-5278892-\$ or US-5247620-\$ or US-5210749-\$ or US-5195091-\$). did. or (US-5195090-\$ or US-5184347-\$ or US-5136582-\$ or US-5121387-\$ or US-5010401-\$ or US-5003534-\$ or US-4933761-\$ or	USPAT; JPO; DERWENT	OR	ON	2006/06/21 20:28
6/22/06 3:18:20 PM	C:\Documents and Settings\Denise\My Documents\EAST\Workspaces\09881302.wsp					Page 13

EAST Search History

S11 8	136	S117 and ((buffer memor\$4) with threshold\$4 same (send\$4 forward\$4 transmi\$6 transfer\$6) with (packet datagram frame) with (process\$4 protocol stack))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:28
S11 9	19	(process\$4 near2 (packet datagram frame)) and ((hold\$4 sav\$4 stor\$6 reciev\$4) with (packet datagram frame) with (buffer memor\$4)) and ((buffer memor\$4) with threshold\$4 same (send\$4 forward\$4 transmi\$6 transfer\$6) with (packet datagram frame) with (process\$4 protocol stack)) and stack\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 11:24
S12 0	4	(protocol near2 stack\$4) and (process\$4 near2 (packet datagram frame)) and ((buffer memor\$4) with threshold\$4 same (send\$4 forward\$4 transmi\$6 transfer\$6) with (packet datagram frame) with (process\$4 protocol stack))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 11:28